

HALLO UND HERZLICH WILLKOMMEN ZUM DOWNLOAD DES MONATS.

DIESMAL GIBT ES WIEDER EIN LABEL AUS DEN TOS-KINOFILMEN, DIE VORLAGE DAFÜR HABE ICH AUS DEM BUCH "STAR TREK ENCYCLOPEDIA-A REFERENCE GUIDE TO THE FUTURE", SOFTCOVERAUSGABE, SEITE 303 AUS DEM JAHR 1994.

DIE GRÖSSE UND FARBEN HABE ICH AUS EINER DER ITSAWRAPHOLLYWOOD AUKTIONEN VOR EIN PAAR JAHREN.

DIESE PDF-DATEI WURDE WIE IMMER MIT CORELDRAW ERSTELLT, IST NICHT GESCHÜTZT UND IN KURVEN KONVERTIERT.

WEITERE TOLLE DOWNLOADS AUS DEM STAR TREK-UNIVERSUM GIBT ES JEDEN MONAT IMMER WIEDER NEU NUR BEI [WWW.GTJLCARS.DE](http://WWW.GTJLCARS.DE).

FEEDBACK, KRITIK, ANREGUNGEN USW. BITTE AN [DIETRICKERNER@WEB.DE](mailto:DIETRICKERNER@WEB.DE)

HELLA AND WELCOME TO THE DOWNLOAD OF THE MONTH.

THIS IS ANOTHER LABEL FROM THE TOS MOTION PICTURES. MY SOURCE FOR THIS GRAPHIC IS IN THE BOOK „STAR TREK ENCYCLOPEDIA-A REFERENCE GUIDE TO THE FUTURE, SOFTCOVER EDITION, PAGE 303 FROM THE YEAR 1994.

THE MEASURES AND COLORS I GOT FROM ONE OF THE AUCTIONS FROM ITSAWRAPHOLLYWOOD A FEW YEAR AGO.

THIS PDF FILE IS NOT PROTECTED, CONVERTED INTO CURVES AND DONE AS USUAL WITH CORELDRAW.

YOU'LL FIND MORE DOWNLOADS FROM THE STAR TREK UNIVERSE MONTH BY MONTH NEW ONLY AT [WWW.GTJLCARS.DE](http://WWW.GTJLCARS.DE).

PLEASE SEND YOUR FEEDBACK, CRITICS AND IDEAS TO [DIETRICKERNER@WEB.DE](mailto:DIETRICKERNER@WEB.DE)

## EMERGENCY EVAC PROCEDURES



In the event of emergency evacuation, annunciators will sound general Quarters. You will be directed to the nearest transporter or to an emergency lifeboat station.

Emergency lifeboat access for this section is on the starboard bulkhead of main corridor 32. You should report to this station in the event of evacuation order during your sleep shift. If an evacuation is sounded during your duty shift, you should report to the lifeboat station assigned to your work station.



In the event of environmental systems failure, personnel in this section will be instructed to report to Emergency Environmental Shelter 09, located in the Starboard Crew Lounge on this deck. During such an evacuation, life support conditions in this immediate section can be maintained for periods up to 30 minutes by activating the Emergency Support Modules located in the corridor panels.

LIFEBOAT ACCESS INSTRUCTIONS

